

# Salmón coho: la apuesta de AquaGen por una especie con alto potencial para la industria acuícola en Chile

P. López<sup>1\*</sup>, T. Moen<sup>2</sup>, J. L. Bartheld<sup>3</sup>, C. Ortiz<sup>3</sup>, R. Deerenberg<sup>1</sup>, M. Medina<sup>2</sup>.

<sup>1</sup> Departamento de Breeding and R&D, AquaGen, Puerto Varas, Chile

<sup>2</sup> Departamento de Breeding and R&D, AquaGen, Trondheim, Noruega

<sup>3</sup> Área Comercial y post-venta, AquaGen, Puerto Varas, Chile

\*paulina.lopez@aquagenchile.cl

Zhao, K., Gaines, S.D., García Molinos, J. et al. Effect of trade on global aquatic food consumption patterns. *Nat Commun* 15, 1412 (2024). <https://doi.org/10.1038/s41467-024-45556-w>.

Vermeir I, Weijters B, De Houwer J, Geuens M, Slabbinck H, Spruyt A, Van Kerckhove A, Van Lippevelde W, De Steur H, Verbeke W. Environmentally Sustainable Food Consumption: A Review and Research Agenda From a Goal-Directed Perspective. *Front Psychol.* 2020 Jul 10;11:1603. doi: 10.3389/fpsyg.2020.01603. FAO. The State of World Fisheries and Aquaculture. Vol. 4 (FAO, 2020).

Gephart, J. A. et al. Scenarios for global aquaculture and its role in human nutrition. *Rev. Fish. Sci. Aquac.* 29, 122–138 (2020).

Zhao K, Gaines SD, García Molinos J, Zhang M, Xu J. Effect of trade on global aquatic food consumption patterns. *Nat Commun.* 2024 Feb 15;15(1):1412. doi: 10.1038/s41467-024-45556-w. PMID: 38360822; PMCID: PMC10869811.

Gaffney L.P., Leggatt R.A., Muttray A.F., Sakhrani D., Biagi C.A., Devlin D.H. Comparison of growth rates between growth hormone transgenic and selectively-bred domesticated strains of coho salmon (*Oncorhynchus kisutch*) assessed under different culture conditions. *Aquaculture*, Volume 528, 2020, 735468, ISSN 0044-8486, <https://doi.org/10.1016/j.aquaculture.2020.735468>.

FAO. 2022. El estado mundial de la pesca y la acuicultura 2022. Hacia la transformación azul. Roma, FAO. <https://doi.org/10.4060/cc0461es>

SERNAPESCA. 2024. Informe sectorial de pesca y acuicultura consolidado (2022-2023).

Gjedrem T. Genetic improvement for the development of efficient global aquaculture: A personal opinion review. *Aquaculture*. 2012; 344–349: 12–22.

Gjedrem T. Genetic improvement of cold-water fish species. *Aquacult Res.* 2000; 31: 25–33.

Devlin RH, Biagi CA, Yesaki TY. Growth, viability and genetic characteristics of GH transgenic coho salmon strains. *Aquaculture*. 2004;236(1–4):607–32.

FAO. 2009. *Oncorhynchus kisutch*. In Cultured aquatic species fact sheets. Text by Fairgrieve, W. Edited and compiled by Valerio Crespi and Michael New. CD-ROM (multilingual).

SERNAPESCA. 2023. Informe sobre uso de antimicrobianos en la salmonicultura nacional

Primer Semestre - Año 2023

SERNAPESCA. 2023. Informe sanitario con información sanitaria de agua dulce y mar año 2022.

Valenzuela-Aviles P, Torrealba D, Figueroa C, Mercado L, Dixon B, Conejeros P, Gallardo-Matus J. Why vaccines fail against Piscirickettsiosis in farmed salmon and trout and how to avoid it: A review. *Front Immunol.* 2022 Nov 17;13:1019404. doi: 10.3389/fimmu.2022.1019404. PMID: 36466828; PMCID: PMC9714679.

Moen T, Torgersen J, Santi N, Davidson WS, Baranski M, Ødegård J, Kjøglum S, Velle B, Kent M, Lubieniecki KP, Isdal E, Lien S. Epithelial Cadherin Determines Resistance to Infectious Pancreatic Necrosis Virus in Atlantic Salmon. *Genetics*. 2015 Aug;200(4):1313–26. doi: 10.1534/genetics.115.175406. Epub 2015 Jun 2. PMID: 26041276; PMCID: PMC4574245.

Costello MJ. The global economic cost of sea lice to the salmonid farming industry. *J Fish Dis.* 2009 Jan;32(1): 115–8. doi:10.1111/j.1365-2761.2008.01011.x.

Wright DW, Stien LH, Dempster T, et al. 'Snorkel' lice barrier technology reduced two co- occurring parasites, the salmon louse (*Lepeophtheirus salmonis*) and the amoebic gill disease causing agent (*Neoparamoeba perurans*), in commercial salmon sea-cages. *Preventive Veterinary Medicine*. 2017;140:97–105. DOI: 10.1016/j.prevetmed.2017.03.002.

Hannisdal R, Nøstbakken O.J., Hove H., Madsen L, Horsberg T.E., Lunestad B.T. Anti-sea lice agents in Norwegian aquaculture; surveillance, treatment trends and possible implications for food safety. *Aquaculture* 521, 1-8, <https://doi.org/10.1016/j.aquaculture.2020.735044>.

Robledo D, Gutiérrez AP, Barría A, Yáñez JM, Houston RD. Gene Expression Response to Sea Lice in Atlantic Salmon Skin: RNA Sequencing Comparison Between Resistant and Susceptible Animals. *Front Genet.* 2018;9:287. Published 2018 Aug 3. doi:10.3389/fgene.2018.00287.

Urbina MA, Cumillaf JP, Paschke K, Gebauer P. Effects of pharmaceuticals used to treat salmon lice on non-target species: Evidence from a systematic review. *Sci Total Environ.* 2019;649:1124–1136. doi:10.1016/j.scitotenv.2018.08.334.

Tacchi L, Bickerdike R, Douglas A, Secombes CJ, Martin SA. Transcriptomic responses to functional feeds in Atlantic salmon (*Salmo salar*). *Fish Shellfish Immunol.* 2011;31(5):704–715. doi:10.1016/j.fsi.2011.02.023.

Braden, L. M., Barker, D. E., Koop, B. F. & Jones, S. R. M. Differential modulation of resistance biomarkers in skin of juvenile and mature pink salmon, *Oncorhynchus gorbuscha* by the salmon louse, *Lepeophtheirus salmonis*. *Fish Shellfish Immunol.* 47, 7–14 (2015).

Braden, L. M., Fast, M. D. & Monaghan, S. J. Salmon immunological defense and interplay with the modulatory capabilities of its ectoparasite *Lepeophtheirus salmonis*. *Parasite Immunol.* <https://doi.org/10.1111/pim.12731> (2020).